

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	643	friction with label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:52
L2	201	friction with label coating	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:54
L3	16	("1877919"   "1943168"   "1943740"   "3174239"   "4295275"   "4693381"   "4756498").PN. OR ("5458307"). URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:37
L4	230	friction\$3 near3 coating label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:37
L5	10	friction\$3 near3 coating with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:50
L6	100	friction with label holder	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:39
L7	22	friction\$3 near3 (coating OR layer) with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 15:51
L9	50	label same "weak adhesive"	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 15:59
L10	12	low near2 strength near2 adhesive with label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 16:00
L11	66	removable near2 label same holder	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 16:01
L12	40	removable near2 label same holder adhesive	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 16:01

L13	24	("3452954"   "3625464"   "4319731"   "4619428"   "4995182"   "5339967"   "5346166"   "5415370"   "5636937"   "5678699"   "5678795"   "5683003"   "5722625"   "5887731"   "5908119"   "6082687").PN. OR ("6341755").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 16:07
L14	23	post-it same label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 16:10
L15	76	40/661\$.ccls. adhesive same removable	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:11
L16	0	("2001/0047604").URPN.	USPAT	AND	OFF	2005/08/08 16:41
L17	40	("2563340"   "3575788"   "3735515"   "3912084"   "4250642"   "4452360"   "4589685"   "4718626"   "4783033"   "4787159"   "4805861"   "4850557"   "4882868"   "4900604"   "4976058"   "4987692"   "5120941"   "5135261"   "5231779"   "5236163"   "5248536"   "5261175"   "5269691"   "5299834"   "5325616"   "5343647"   "5417790"   "5421113"   "5428914"   "5464681"   "5597634"   "5628858"   "5639125"   "5672402"   "5704650"   "5728469"   "5792296"   "6145231").PN. OR ("6519885").URPN.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 16:58
L18	80	high adj2 friction label holder	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:07
L19	127	high adj friction label (holder or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:08
L20	44	high adj friction coating label (holder or channel)	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:09
L21	3	high adj friction with label with coating	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:10

L22	14	high adj friction with label	US-PGPUB; USPAT; USOCR; EPO; JPO	AND	OFF	2005/08/08 19:10
L23	89	40/661\$.ccls. friction	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:12
L24	4529	40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls. friction with coating	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:13
L25	4512	40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls. high adj friction with coating	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:14
L26	4	(40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls.) high adj friction with coating	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:14
L27	5	(40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls.) friction with coating with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:15
L28	40	(40/661.ccls. OR 40/642.01.ccls. OR 40/638.ccls. OR 40/661.03. ccls. OR 283/81.ccls. OR 428/40. 1.ccls. or 428/343.ccls.) friction with label	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:40
L29	2	US-840072-\$.DID. OR US-1103957-\$.DID.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:41
L30	4	US-0840072-\$.DID. OR US-1103957-\$.DID.	US-PGPUB; USPAT; USOCR	AND	OFF	2005/08/08 19:41
L31	6728	((40/650) or (40/642.01) or (40/638) or (40/661.03) or (283/81) or (428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/08 20:37
S1	232	((40/650) or (40/642.01)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/08/08 20:36
S2	14	S1 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/11 14:57

S3	0	"40"/\$.ccls. and friction and "weak adhesive" and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/11 14:58
S4	125	"40"/\$.ccls. and friction and adhesive and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/11 14:58
S5	15	("1877919"   "1943168"   "1943740"   "3174239"   "4295275"   "4693381"   "4756498").PN. OR ("5458307"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/14 09:34
S6	0	"friction coated label"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 09:48
S9	142	(40/650).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/14 09:51
S10	23	(40/650.ccls. or 40/642.01.ccls.) and friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 10:05
S11	0	"40"/\$.ccls. and "skid value"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 10:05
S12	2366	((40/638) or (283/81)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/14 11:15
S13	60	"friction coating" and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/14 11:16
S14	4140	((428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/15 14:28
S15	4140	((428/40.1) or (428/343)).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/15 14:28
S16	317	S15 and friction	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/15 14:28
S17	76	S15 and friction and label	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/15 14:29

S18	10	US-6385884-\$.DID. OR US-6385885-\$.DID. OR US-6470613-\$.DID. OR US-6519885-\$.DID. OR US-6581314-\$.DID. OR US-6632316-\$.DID. OR US-D470535-\$.DID. OR US-D470893-\$.DID. OR US-D472278-\$.DID. OR US-D475753-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OFF	2005/02/15 17:07
S19	117	(40/661.03).CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/02/15 17:07